



FIG. 1









FIG. 3(b)






FIG. 4(b)





FIG. 5






FIG. 6(b)




FIG. 6(c)




FIG. 7(a)




FIG.7(b)




FIG. 7(c)




FIG. 7(d)




FIG.7(e)





FIG. 8



<u>901</u>

FIG. 9




FIG. 10




FIG. 11




FIG. 12





FIG. 13(a)






FIG. 13(b)

IN POINTER 7E FF 7D 23 C0 21 7D 21 7D 20 7D 24 D1 B5 7E OUT POINTER	1401(a)
IN POINTER	1401(b)
IN POINTER FF FF 7D 23 C0 21 7D 21 7D 21 7D 20 7D 24 D1 B5 7E OUT POINTER	1401(c)
IN POINTER FF FF 7D 23 C0 21 7D 21 7D 21 7D 20 7D 24 D1 B5 7E OUT POINTER	1401(d)
IN POINTER FF 03 7D 23 C0 21 7D 21 7D 21 7D 20 7D 24 D1 B5 7E OUT POINTER	1401(e)
IN POINTER FF 03 C0 23 C0 21 7D 21 7D 21 7D 20 7D 24 D1 B5 7E OUT POINTER	1401(f)
IN POINTER FF 03 C0 21 C0 21 7D 21 7D 21 7D 20 7D 24 D1 B5 7E OUT POINTER	1401(g)
•	
IN POINTER	1401 (h)
FF 03 C0 21 01 01 00 04 D1 B5 7D 20 7D 24 D1 B5 7E LENGTH OF PROCESSED DATA	JT POINTER

FIG. 14






FIG. 15

]}APPLICATION LAYER	D		TELNET	НТТР	SMTP	
]}SECURITY LAYER		SSL / TLS				
		TPC				
¯\ <i>TRANSMISSION LAYER</i>]\		IP				

FIG. 16



16/21






FIG. 19




FIG. 20A




FIG. 20B







FIG. 21(b)






FIG. 22




FIG. 23




FIG. 24